



Laboratory Investigation Report

Patient Name	Centre
Age/Gender	OP/IP No/UHID
MaxID/Lab ID	Collection Date/Time
Ref Doctor	Reporting Date/Time



Test Name	Result	Unit	Bio Ref Interval
-----------	--------	------	------------------

Cytomegalo Virus (CMV) - IgM + IgG Combined, Serum

ECLIA			
CMV IgG	273.6	U/mL	
ECLIA			
CMV IgM	0.205	COI	
ECLIA			

Ref Range (CMV IgG)

Non Reactive	< 0.50
Equivocal	0.50 - < 1.0
Positive	>= 1.0

Ref Range (CMV IgM)

Negative	< 0.70
Equivocal	>=0.70 - < 1.0
Positive	> 1.0

Interpretation

Positive CMV IgG levels indicate past infection.
Positive CMV IgM levels indicate recent infection.

Kindly correlate with clinical findings

*** End Of Report ***



Dr. Poonam S. Das, M.D
Principal Director
Max Lab & Blood Bank Services



Dr. Bansidhar Tarai, M.D
Associate Director
Microbiology & Molecular Diagnostics



Dr. Sonu Kumari Agrawal, MD
Associate Consultant
Microbiology

Test Performed at :910 - Max Hospital - Saket M S S H, Press Enclave Road, Mandir Marg, Saket, New Delhi, Delhi 110017
Booking Centre :794 - Max Hospital - Vaishali, W-3, Sector-1, Vaishali, Ghaziabad-201012, U.P, 0120418800
The authenticity of the report can be verified by scanning the Q R Code on top of the page

Page 1 of 1

Max Lab Limited (A Wholly Owned Subsidiary of Max Healthcare Institute Ltd.)

Max Lab, Max Super Speciality Hospital, Vaishali: W-3, Sector-1, Vaishali, Ghaziabad-201012, (U.P.),
Phone: +91-0120-4173 000, 4188 000 | (CIN No.: U85100DL2021PLC381826)

Helpline No. 7982 100 200 | www.maxlab.co.in | feedback@maxlab.co.in

Conditions of Reporting: 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test request form. 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions given by the physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories to provide a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.



MC-2714