



Laboratory Investigation Report

Patient Name	Centre
Age/Gender	OP/IP No/UHID
MaxID/Lab ID	Collection Date/Time
Ref Doctor	Reporting Date/Time

Clinical Biochemistry



SIN No:MH11980431

Creatinine, Serum

Date	01/Apr/2023 12:20PM	Unit	Bio Ref Interval
Creatinine	1.23	mg/dL	0.9 - 1.3
Alkaline picrate kinetic			
eGFR	57.67	ml/min/1.73 m ²	
MDRD			




Ref. Range

eGFR - Estimated Glomerular Filtration Rate is calculated by MDRD equation which is most accurate for GFRs ≤ 60 ml / min / 1.7 m². MDRD equation is used for adult population only.

Category	Ref Interval (ml / min / 1.73 m ²)	Condition
G1	≥ 90	Normal or High
G2	60 - 89	Mildly Decreased
G3a	45 - 59	Mildly to Moderately Decreased
G3b	30 - 44	Moderately to Severly Decreased
G4	15 - 29	Severly Decreased
G5	< 15	Kidney failure

Kindly correlate with clinical findings

*** End Of Report ***

 Dr. Anjali Bhutani, MD Director & Head Max Lab	 Dr. Neerja Dhillon, MD, DNB Principal Consultant Max Lab	 Dr. Ajit Pratap Singh Panaych, MD Associate Consultant Max Lab
---	--	--

Test Performed at : 1066 - Max Hospital Mohali, Near Civil Hospital, Phase-6, Mohali
 Booking Centre : 1066 - Max Hospital Mohali, Near Civil Hospital, Phase-6, Mohali,
 The authenticity of the report can be verified by scanning the Q R Code on top of the page

Page 1 of 1

Max Lab Limited (A Wholly Owned Subsidiary of Max Healthcare Institute Ltd.)

Max Lab, Max Super Speciality Hospital, Mohali: Near Civil Hospital, Phase-6, Mohali, Punjab-160055,
 Phone: +91-172-521 2000 | (CIN No.: U85100DL2021PLC381826)

Helpline No. 7982 100 200 | www.maxlab.co.in | feedback@maxlab.co.in

Conditions of Reporting: 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test request form. 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions given by the physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories to provide a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.



MC-2287