

Laboratory Investigation Report

Patient Name	Centre
Age/Gender	OP/IP No
Max ID/Mobile	Collection Date/Time
Lab ID	Receiving Date
Ref Doctor	Reporting Date
Passport No.	

Serology Special

Test Name	Result	Unit	Bio Ref Interval
-----------	--------	------	------------------

ANA & Vasculitis Panel-LIA,Serum

LIA

dsDNA	Negative
Nucleosome	Negative
Histones	Negative
SmD1	Negative
PCNA	Negative
PO (RPP)	Negative
SS-A/Ro60	Negative
SS-A/Ro52	Negative
SS-B/La	Negative
CENP-B	Negative
Scl70	Negative
U1-snRNP	Negative
AMA M2	Negative
Jo1	Negative
PM-Scl	Negative
Mi-2	Negative
Ku	Negative
PR3	Negative
MPO	Negative
GBM	Negative

Comment Interpretation

ANA is useful for the diagnosis of patients with autoimmune diseases e.g. SLE, Mixed connective tissue disease, Rheumatoid arthritis, Sjogren's syndrome, Progressive systemic sclerosis and CREST syndrome.

Kindly correlate with clinical findings

*** End Of Report ***



Page 1 of 2

SIN No:SB1342083, Test Performed at :910 - Max Hospital - Saket M S S H, Press Enclave Road, Mandir Marg, Saket, New Delhi, Delhi 110017

Booking Centre :2146 - Max Lab Adarsh Nagar, Shop No-3, A-1, Rajan Babu Road, Adarsh Nagar Delhi, 7011361561

The authenticity of the report can be verified by scanning the Q R Code on top of the page



MC-2714

Laboratory Investigation Report

Patient Name	Centre
Age/Gender	OP/IP No
Max ID/Mobile	Collection Date/Time
Lab ID	Receiving Date
Ref Doctor	Reporting Date
Passport No.	

Serology Special

Test Name	Result	Unit	Bio Ref Interval
-----------	--------	------	------------------




Dr. Bansidhar Tarai, M.D.

Associate Director
Microbiology & Molecular Diagnostics



Dr. Poornima Sen, M.D.
Consultant - Microbiology



Dr. Madhuri Somani, M.D. , DNB
Consultant - Microbiology



Page 2 of 2

SIN No:SB1342083, Test Performed at :910 - Max Hospital - Saket M S S H, Press Enclave Road, Mandir Marg, Saket, New Delhi, Delhi 110017
Booking Centre :2146 - Max Lab Adarsh Nagar, Shop No-3, A-1, Rajan Babu Road, Adarsh Nagar Delhi, 7011361561

The authenticity of the report can be verified by scanning the Q R Code on top of the page



MC-2714