

## **Laboratory Investigation Report**

Patient Name Centre Age/Gender OP/IP No

Max ID/Mobile Collection Date/Time Lab ID Receiving Date Ref Doctor Reporting Date Passport No.

**Serology Special** 

**Test Name** Result Unit **Bio Ref Interval** 

## Aspergillus Antibody IgG, Serum\*

ELISA

U/ml Aspergillus Antibody, IgG 3.45

## Ref Range

Ref. Range

Negative < 9.0 Equivocal 9.0 - 11.0 Positive > 11.0

## Interpretation

- Aspergillus fumigatus IgG antibody ELISA test has been used for detection and quantitative determination of specific IgG antibodies against Aspergillus fumigatus in serum and plasma.
- Generally, infections with Aspergillus species are air borne. Because of ubiquity of Aspergillus spp. it renders more difficult to decide between contamination, colonization and serious infection, so patient history and other tests should be taken into account.
- Clinical specificity and clinical sensitivity of test is 81% and 100% respectively.

Kindly correlate with clinical findings

\*\*\* End Of Report \*\*\*

Dr. Poonam. S. Das, M.D. Principal Director-

Max Lab & Blood Bank Services

Dr. Dilip Kumar M.D. Associate Director &

Manager Quality

Principal Consultant & Head, Haematopathology

Dr. Nitin Dayal, M.D.

Page 1 of 1

SIN No:VSH1255014, Test Performed at :910 - Max Hospital - Saket M S S H, Press Enclave Road, Mandir Marg, Saket, New Delhi, Delhi

Booking Centre: 794 - Max Hospital - Vaishali, W-3, Sector-1, Vaishali, Ghaziabad-201012, U.P., 0120418800

The authenticity of the report can be verified by scanning the Q R Code on top of the page

Max Lab, Max Super Speciality Hospital, Vaishall: W-3, Sector-1, Vaishall, Ghaziabad-201012. (U.P.). Phone: +91-0120-4173 000, 4188 000 | (CIN No.: U85100DL2021PLC381826)

📞 Helpline No. 7982 100 200 🏻 www.maxlab.co.in 📆 feedback@maxlab.co.in