


**Laboratory Investigation Report**

Patient Name	Centre
Age/Gender	OP/IP No/UHID
MaxID/Lab ID	Collection Date/Time
Ref Doctor	Reporting Date/Time

**Hematology Special**
**BOH Screen**


SIN No: B2B512535

Test Name	Result	Unit	Bio Ref Interval
-----------	--------	------	------------------

**ANA By Immunofluorescence, Serum**

Anti Nuclear Antibodies Immunofluorescence	Positive		Negative
Primary Dilution	1:40		
Primary Intensity on IF	2+		
Nuclear Pattern	Speckled		
Cytoplasmic Pattern	Negative		
Mitotic Pattern	Negative		
End Point Titre	1:320		
Advise :	ANA LIA		

**Interpretation**

Anti Nuclear Antibody IFA, HEP2000, Serum Immunofluorescence  
(Syn: Anti-Nuclear Antibody)

ANA immunofluorescence is the gold standard test for screening for autoimmune antibodies and has higher sensitivity as compared to ANA ELISA.

False ANA positivity may be seen in - certain viral infections (Hepatitis C, Parvovirus and many other), bacterial infections (Tuberculosis), parasitic infection (schistosomiasis), certain malignancies and medications. ANA Immunofluorescence results need to be corroborated with clinical features and other laboratory findings for definitive evidence of auto-immune disorder.

**Advise: -**


- A repeat ANA testing is recommended after 12 weeks after an acute episode of infection.
- ANA LIA should be added in cases with positive ANA Immunofluorescence result to know which extractable nuclear antigen is present in the patients, which helps in classifying patients for specific autoimmune disorder.

Kindly correlate with clinical findings

\*\*\* End Of Report \*\*\*



**Dr. Poonam. S. Das, M.D.**  
Principal Director-  
Max Lab & Blood Bank Services



**Dr. Dilip Kumar M.D.**  
Associate Director &  
Manager Quality



**Dr. Nitin Dayal, M.D.**  
Principal Consultant & Head,  
Haematopathology

Test Performed at : 910 - Max Hospital - Saket M S S H, Press Enclave Road, Mandir Marg, Saket, New Delhi, Delhi 110017

Booking Centre : 1553 - Nijjar Pathcare Labs, 51/1 Court Road Amritsar, 6284476745

The authenticity of the report can be verified by scanning the Q R Code on top of the page

Page 1 of 10

**Max Lab Limited** (A Wholly Owned Subsidiary of Max Healthcare Institute Ltd.)

Nijjar Pathcare Labs: 51/1, Court Road, Opp. Church, Near G.P.O., Amritsar-143 001,  
Phone: 0183-222 6634, 5000 8285 | (CIN No.: U85100DL2021PLC381826)

Helpline No. 7982 100 200 | [www.maxlab.co.in](http://www.maxlab.co.in) | [feedback@maxlab.co.in](mailto:feedback@maxlab.co.in)

**Conditions of Reporting:** 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test request form. 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions given by the physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories to provide a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.




**Laboratory Investigation Report**

Patient Name	Centre
Age/Gender	OP/IP No/UHID
MaxID/Lab ID	Collection Date/Time
Ref Doctor	Reporting Date/Time

**SEROLOGY SPECIAL.**

**BOH Screen**

Test Name	Result	Unit	Bio Ref Interval
-----------	--------	------	------------------

**Antiphospholipid Antibody IgG + IgM, Serum**

ELISA

Anti Phospho Lipid Antibody IgG 4.44 U/ml

ELISA

Anti Phospho Lipid Antibody IgM 2.28 U/ml

ELISA

**Ref Range**
**Ref Range :**

Negative &lt; 10

Positive &gt;=10

**Interpretation :**

Phospholipid-Screen-GM is a solid phase enzyme immunoassay for theseparate qualitative and quantitative detection of IgG and/o IgM antibodies againstphospholipids in human serum. The assay is an aid in the diagnosis and risk estimation of thrombosis in patients with systemic lupus erythematosus and antiphospholipid syndrome (APS).

Kindly correlate with clinical findings

**\*\*\* End Of Report \*\*\***
**Dr. Poonam S. Das, M.D**  
 Principal Director  
 Max Lab & Blood Bank Services



**Dr. Bansidhar Tarai, M.D**  
 Associate Director  
 Microbiology & Molecular Diagnostics



**Dr. Sonu Kumari Agrawal, MD**  
 Associate Consultant  
 Microbiology

Test Performed at :910 - Max Hospital - Saket M S S H, Press Enclave Road, Mandir Marg, Saket, New Delhi, Delhi 110017

Booking Centre :1553 - Nijjar Pathcare Labs, 51/1 Court Road Amritsar, 6284476745

The authenticity of the report can be verified by scanning the Q R Code on top of the page

Page 2 of 10

**Max Lab Limited** (A Wholly Owned Subsidiary of Max Healthcare Institute Ltd.)

 Nijjar Pathcare Labs: 51/1, Court Road, Opp. Church, Near G.P.O., Amritsar-143 001,  
 Phone: 0183-222 6634, 5000 8285 | (CIN No.: U85100DL2021PLC381826)

 Helpline No. 7982 100 200 [www.maxlab.co.in](http://www.maxlab.co.in) [feedback@maxlab.co.in](mailto:feedback@maxlab.co.in)

**Conditions of Reporting:** 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test request form. 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions given by the physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories to provide a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.



MC-2714