

Laboratory Investigation Report

Patient Name	Centre
Age/Gender	OP/IP No/UHID
MaxID/Lab ID	Collection Date/Time
Ref Doctor	Reporting Date/Time

Serology


Test Name	Result	Unit	Bio Ref Interval
Beta-2-Microglobulin, Urine CLIA			
Beta-2 Microglobulin, Urine	2.23	ug/mL	< 0.195

Rechecked

Kindly correlate with clinical findings

***** End Of Report *****

Dr. Poonam. S. Das, M.D.
Principal Director-
Max Lab & Blood Bank Services



Dr. Dilip Kumar M.D.
Associate Director &
Manager Quality



Dr. Rajeev Kumar, MD
Associate Consultant
Biochemistry

Test Performed at : 910 - Max Hospital - Saket M S S H, Press Enclave Road, Mandir Marg, Saket, New Delhi, Delhi 110017

Booking Centre : 6052 - House of Diagnostics Healthcare Private Limited, 15 Ground Floor, Hargovind Enclave Vikas Marg, 9910010022

The authenticity of the report can be verified by scanning the Q R Code on top of the page

Page 1 of 1

Max Lab Limited (A Wholly Owned Subsidiary of Max Healthcare Institute Ltd.)

Max Super Speciality Hospital, Saket (West Block), 1, Press Enclave Road, Saket, New Delhi - 110 017, Phone: +91-11-6611 5050
(CIN No.: U85100DL2021PLC381826)

Helpline No. 7982 100 200 www.maxlab.co.in feedback@maxlab.co.in

Conditions of Reporting: 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test request form. 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions given by the physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories to provide a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.



MC-2714