

Laboratory Investigation Report

Patient Name	Centre
Age/Gender	OP/IP No/UHID
MaxID/Lab ID	Collection Date/Time
Ref Doctor	Reporting Date/Time

		SIN No:B2B4092993		
Test Name	Result	Unit	Bio Ref Interval	
Cadmium Urine (L)* (ICPMS)				
CADMIUM, RANDOM URINE	<1.0	ug/L	< 2.60	

Comment

Note

- 1. Inductively Coupled Plasma Mass Spectrometry (ICPMS) is used to determine the level of heavy/trace metals in biological tissues
- 2. To assess occupational exposure sample should be collected at the end of the shift on the last day of the work week
- 3. Antacids, Antibiotics & Anti-tuberculous therapy falsely reduce the levels

Comments

Cadmium ranks close to lead and mercury as one of the top toxic substances. About 75% of cadmium produced is used in batteries, especially nickel -cadmium batteries. Food is the major source for general population specially shell fish, animal liver & kidney, grains like rice & wheat & tobacco. Cigarette smoking is a major non-occupational source of cadmium exposure. Occupations potentially at risk from cadmium exposure include those involved in refining zinc and lead ores, iron production, manufacture of cement , paints & pigments, cadmium nickel batteries, electroplating & fossil fuel combustion.

Kindly correlate with clinical findings

*** End Of Report ***

Dr. Poonam. S. Das, M.D. Principal Director-

Max Lab & Blood Bank Services

Dr. Dilip Kumar M.D. Associate Director &

Manager Quality

Dr. Nitin Dayal, M.D. Principal Consultant & Head, Haematopathology

Booking Centre :2346 - Max Lab DLF Phase 3, Nr 26 Nathupur Main Road, Dlf Phase 3, National Highways 34 Near S Block, LWF Wine Shop, 9990700580 The authenticity of the report can be verified by scanning the Q R Code on top of the page

Max Lab Limited (A Wholly Owned Subsidiary of Max Health

Max Super Speciality Hospital, Saket (West Block), 1, Press Enclave Road, Saket, New Delhi - 110 017, Phone: +91-11-6611 5050 (CIN No.: U85100DL2021PLC381826)

📞 Helpline No. 7982 100 200 🏻 🖨 www.maxlab.co.in 💆 feedback@maxlab.co.in