

## Laboratory Investigation Report

Patient Name	Centre
Age/Gender	OP/IP No
Max ID/Mobile	Collection Date/Time
Lab ID	Receiving Date
Ref Doctor	Reporting Date
Passport No.	

### Molecular Diagnostics

Test Name	Result	Unit	Bio Ref Interval
-----------	--------	------	------------------

### Gastrointestinal Panel (FilmArray PCR), Stool

Multiplex PCR/ Filmarray

#### Bacteria

Campylobacter	Detected
Clostridium difficile toxin A/B	Not Detected
Plesiomonas shigelloides	Not Detected
Salmonella	Not Detected
Vibrio	Not Detected
Vibrio Cholerae	Not Detected
Yersinia Enterocolitica	Not Detected

#### Diarrheagenic E.Coli/Shigella

Enterroaggregative E.Coli (EAEC)	Not Detected
Entropathogenic E.Coli (EPEC)	Detected
Enterotoxigenic E.Coli (ETEC) It/st	Not Detected
Shiga-like toxin-producing E.Coli (STEC) stx1/stx2	Not Detected
E.coli O157	Not Detected
Shigella/Enteroinvasive (EIEC)	Not Detected

#### Parasites

Cryptosporidium	Not Detected
Cyclospora Cayetanesis	Not Detected
Entamoeba Histolytica	Not Detected
Giardia Lamblia	Not Detected

#### Viruses

Adenovirus F 40/41	Not Detected
Astrovirus	Not Detected
Norovirus G1G11	Not Detected



Page 1 of 2

SIN No:GGN0032066, Test Performed at :910 - Max Hospital - Saket M S S H, Press Enclave Road, Mandir Marg, Saket, New Delhi, Delhi 110017

Booking Centre :585 - Max Hospital - Gurugram, Opposite HUDA City Centre Metro Station, B - Block, 0124662300

The authenticity of the report can be verified by scanning the Q R Code on top of the page



MC-2714

### Laboratory Investigation Report

Patient Name	Centre
Age/Gender	OP/IP No
Max ID/Mobile	Collection Date/Time
Lab ID	Receiving Date
Ref Doctor	Reporting Date
Passport No.	

#### Molecular Diagnostics

Test Name	Result	Unit	Bio Ref Interval
Rotavirus A	Not Detected		
Saapovirus	Not Detected		

**Comment** The FilmArray is a multiplex PCR platform for simultaneous detection and identification of bacteria, viruses, fungi and parasites. It is the most advance technology which provides rapid diagnostic information that can be used to make knowledgeable clinical decisions in hours and thus potentially reduce the use of antibiotics. The FilmArray GI Panel simultaneously tests for pathogens (Bacteria, Viruses and parasites) from stool specimens.

Kindly correlate with clinical findings

\*\*\* End Of Report \*\*\*




**Dr. Bansidhar Tarai, M.D.**

Associate Director  
Microbiology & Molecular Diagnostics



**Dr. Poornima Sen, M.D.**  
Consultant - Microbiology



**Dr. Madhuri Somani, M.D. , DNB**  
Consultant - Microbiology



## Laboratory Investigation Report

Patient Name	Centre
Age/Gender	OP/IP No
Max ID/Mobile	Collection Date/Time
Lab ID	Receiving Date
Ref Doctor	Reporting Date
Passport No.	

### Microbiology

#### Stool - Culture & Sensitivity

Method : Culture/ID & Sensitivity by Vitek 2

Result No Salmonella, Shigella & Vibrio species isolated.

Kindly correlate with clinical findings

\*\*\* End Of Report \*\*\*




**Dr. Bansidhar Tarai, M.D.**

Associate Director  
Microbiology & Molecular Diagnostics



**Dr. Poornima Sen, M.D.**  
Consultant - Microbiology



**Dr. Madhuri Somani, M.D. , DNB**  
Consultant - Microbiology



SIN No:GGN0032066

BookingCentreAddress :585 - Max Hospital - Gurugram, Opposite HUDA City Centre Metro Station, B - Block, 0124662300

The authenticity of the report can be verified by scanning the Q R Code on top of the page

Test Performed at :910 - Max Hospital - Saket M S S H, Press Enclave Road, Mandir Marg, Saket, New Delhi, Delhi 110017

