

Laboratory Investigation Report

Patient Name Centre Age/Gender OP/IP No

Max ID/Mobile Collection Date/Time Lab ID Receiving Date Ref Doctor Reporting Date

Passport No.

Serology

Test Name Result Unit **Bio Ref Interval**

HCV IgG, Serum

CLIA

HCV, IgG Negative HCV,IgG Test Value 0.07

Ref. Range

Negative < 0.90 Borderline 0.90 - 8.0Positive > 8.0


Interpretation

This test is a screening test performed on VITROS immunodiagnostic system using immunometric technique.

- 1. Hepatitis C (HCV) is an RNA virus of Flavivirus group transmitted via blood transfusions, transplantation, injection drug users, accidental needle punctures in healthcare workers, dialysis patients and rarely from mother to infant.
- 2. 10% of new cases show sexual transmission. As compared to HAV & HBV, chronic infection with HCV occurs in 85% of infected individuals.
- 3. This test is indicator of past or present infection, but does not differentiate between Acute / Chronic / Resolved infection .HCV RNA PCR recommended in all reactive results to differentiate between past and present infection
- 4. A definitive clinical diagnosis should not be made by result of a single test only, but should be made by taking clinical history and other laboratory findings in to account.

Kindly correlate with clinical findings

*** End Of Report ***





Page 1 of 1

SIN No:VSH1516176, Test Performed at: 794 - Max Hospital - Vaishali, W-3, Sector-1, Vaishali, Ghaziabad-201012, U.P. Booking Centre: 794 - Max Hospital - Vaishali, W-3, Sector-1, Vaishali, Ghaziabad-201012, U.P, 0120418800 The authenticity of the report can be verified by scanning the Q R Code on top of the page

Max Lab, Max Super Speciality Hospital, Valshall: W-3, Sector-1, Valshall, Ghaziabad-201012, (U.P.). Phone: +91-0120-4173 000, 4188 000 | (CIN No.: U85100DL2021PLC381826)







