



Test Name	Result	Unit	Bio Ref Interval
	Molecular Diagnostics		III IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII
Passport No.			
Ref Doctor		Reporting Date/Time	
MaxID/Lab ID	Collection	n Date/Time	
Age/Gender	OP/IP No	/UHID	
Patient Name	Centre		

## COVID-19 RTPCR (SARS COV-2)THROAT/NASAL SWAB- Uttar Pradesh H/C\*

COVID-19 (SARS CoV-2) Real Time PCR

**Comment** Positive result does not necessarily indicate the presence of an active, viable virus as RTPCR only detects the presence of viral RNA (dead or alive).

Negative

In clinically suspected patients, a single negative test result does not exclude infection. Presence of inhibitors, mutations and insufficient RNA can influence the test results.

In case of clinical discrepancy with RTPCR test results, please feel free to contact us for further course of action. Please correlate the test result with Clinical & Radiological findings.

### **CT Value Literature: -**

1. There are no reliable studies to definitively prove a direct correlation between disease severity / infectiousness and CT values. Viral load does not have much role in patient management.

2. CT values differ from one kit to the other. Comparability of CT values among different kits is a challenge as different labs are using a mixed basket of kits with different CT cut-offs and different gene targets.

3. Samples from asymptomatic / mild cases show CT values similar to those who develop severe disease.

4. Patients in early symptomatic stage may show a high CT value which may subsequently change. In such cases, high Ct values will give a false sense of security.

Severity of COVID-19 disease largely depends on host factors besides the viral load. Some patients with low viral load may land up in very severe disease due to triggering of the immunological responses. Hence, again high CT value may give a false sense of security.
 Negative result shows no CT value

ICMR Registration Number: MAXDL001

### SRF No.:0708304413506

Kindly correlate with clinical findings

Some

Microbiology & Molecular Diagnostics

Dr. Bansidhar Tarai, M.D

Associate Director

8

Dr. Sonu Kumari Agrawal, MD Associate Consultant

\*\*\* End Of Report \*\*\*

Dr Nidhi Malik, MD Consultant Microbiology

Test Performed at :910 - Max Hospital - Saket M S S H, Press Enclave Road, Mandir Marg, Saket, New Delhi, Delhi 110017 Booking Centre :3150 - Araadhya Mother & Child Care, 27/A Regal Shipra Suncity Indirapuram, 9810302120 The authenticity of the report can be verified by scanning the Q R Code on top of the page

🐛 Helpline No. 7982 100 200 🛛 👜 www.maxlab.co.in 🛛 🔤 feedback@maxlab.co.in

Microbiology

Conditions of Reporting: 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test request form. 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions given by the physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories to provide a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory revices.

Page 1 of 1





## **CLIENT CODE :** C000060706

CLIENT'S NAME AND ADDRESS : CROSSLEY REMEDIES LIMITED A UNIT OF MAX HOSPITAL, W-3, SECTOR-1, VAISHALI, GHAZIABAD 201012 UTTAR PRADESH INDIA 9650111522

SRL Ltd
PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL
ESTATE,S.V. ROAD,GOREGAON (W)
MUMBAI, 400062
MAHARASHTRA, INDIA
Tel : 9111591115, Fax : 022 - 67801212
CIN - U74899PB1995PLC045956

Test Report Status	Final	Results	Biological Reference Interv	val Units
(		SEROLOGY		
<b>INFLUENZA VIRUS A</b>	IGG (SERUM, ELISA)			
INFLUENZA VIRUS A IO	GG (SERUM, ELISA)	2.8	Negative: < 9.0 Indeterminate: 9.0 - 11.0 Positive: > 11.0	NTU

## Comments

The sample for Influenza A Virus-IgG(Serum, ELISA), was referred to an external laboratory (code no.20002) for performance of the test requested.











STRIAL

# **CLIENT CODE :** C000060706

CLIENT'S N
CROSSLEY RI
A UNIT OF M/
VAISHALI,
GHAZIABAD
UTTAR PRADE
9650111522

SRL Ltd
PRIME SQU
ESTATE, S.V.
MUMBAI, 4(
MAHARASH
Tel : 9111591115, Fax : 022 - 6/801212
CIN - U74899PB1995PLC045956

Test Report Status	<u>Final</u>	Results	Biological Reference Inter	rval Units
EIA - INFECTIOUS SECTION				
INFLUENZA VIRUS B	<u>IGG (SERUM, ELISA</u>	7		
INFLUENZA VIRUS B IG	G (SERUM, ELISA)	2.1	Negative: < 9.0 Indeterminate: 9.0 - 11.0 Positive: > 11.0	NTU

### Comments

The sample for Influenza B Virus-IgG(Serum, ELISA), was referred to an external laboratory (code no.20002) for performance of the test requested.

\*\*End Of Report\*\* Please visit www.srlworld.com for related Test Information for this accession

Dr. Ekta Patil,MD Microbiologist











**STRIAL** 

## **CLIENT CODE :** C000060706

CLIENT'S NA
CROSSLEY RI
A UNIT OF M/
VAISHALI,
GHAZIABAD
UTTAR PRADE
9650111522

S	RL Ltd
PF	RIME SQU/
E	STATE, S.V.
Μ	UMBAI, 4(
Μ	AHARASH
Te	el : 9111591115, Fax : 022 - 67801212
C	IN - U74899PB1995PLC045956

Test	Report	Status	<b>Final</b>

Results

Biological Reference Interval Units

CONDITIONS OF LABORATORY TESTING & REPORTING			
<ol> <li>It is presumed that the test sample belongs to the patient named or identified in the test requisition form.</li> <li>All tests are performed and reported as per the turnaround time stated in the SRL Directory of Services.</li> <li>Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.</li> <li>A requested test might not be performed if:         <ol> <li>Specimen received is insufficient or inappropriate ii. Specimen quality is unsatisfactory iii. Incorrect specimen type iv. Discrepancy between identification on specimen container label and test requisition form</li> </ol> </li> </ol>	<ul> <li>5. SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety &amp; technical integrity.</li> <li>6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.</li> <li>7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.</li> <li>8. Test results cannot be used for Medico legal purposes.</li> <li>9. In case of queries please call customer care (91115 91115) within 48 hours of the report.</li> <li><b>SRL Limited</b> Fortis Hospital, Sector 62, Phase VIII, Mohali 160062</li> </ul>		



